

## LED LAMP T25



### ***Technical data***

---

<i>Voltage:</i>	230V; 50Hz
<i>Power:</i>	1W
<i>Colour temperature:</i>	2700K; 4000K;
<i>LED type:</i>	SMD2835
<i>Lamp holder:</i>	E14
<i>Beam angle:</i>	180°
<i>Colour rendering index:</i>	Ra≥80
<i>Switch on/off:</i>	>30 000
<i>Average life:</i>	20 000h


## **Features**

- *Reduced operational cost thanks to lower energy consumption.*
- *Mercury free.*
- *Reduced operational cost thanks to lower energy consumption.*
- *Maximum resistance to switching loads.*
- *Correct operation even at low temperature.*
- *Instant-on light.*

## **Area of application**

- *Domestic applications*


## **Variants and Dimensions**



<i>Watt</i>	<i>LED lamp lumens</i>	<i>Colour temp.</i>	<i>Lamp holder</i>	<i>Size (mm)</i>		<i>Catalogue number</i>
<b>(W)</b>	<b>(lm)</b>	<b>(K)</b>		<b>Length</b>	<b>Diameter</b>	
<b>1</b>	90	4000	E14	63	25	<b>99LED445</b>
<b>1</b>	90	2700	E14	63	25	<b>99LED446</b>

# TECHNICAL SPECIFICATION

## *Energy efficiency*



## *Standards*

- EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 13032-4 • EN 62560 •

